

WAUS1 KBOS 200735

WA1Z

BOSZ WA 200745

AIRMET ZULU UPDT 1 FOR ICE AND FRZLVL VALID UNTIL 201400

NO SGFNT ICE EXP OUTSIDE CNVTW ACT.

FRZLVL...MULT FRZLVL 040-080 NRN HLF ME..080-100 SRN HLF ME..090-120 RMNDR.

....

WAUS1 KBOS 200735

WA1S

BOSS WA 200745

AIRMET SIERRA UPDT 1 FOR IFR AND MTN OBSCN VALID UNTIL 201400

AIRMET IFR...CT NY PA NJ OH LE WV VA DC DE AND CSTL WTRS  
FROM 30S YYZ TO SYR TO ALB TO HTO TO 140E ACK TO 190SE ACK TO 20S  
ORF TO HMV TO HNN TO CVG TO FWA TO DXO TO 30S YYZ  
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 14Z..ENDG 15-17Z NY CT NJ WRN FA..BECMG ISOL RMNDR 18-20Z.

AIRMET IFR...NH VT

FROM 20E YSC TO 40NE CON TO 50SW MPV TO 20N PLB TO 20E YSC  
OCNL CIG BLW 010/VIS BLW 3SM BR/FG. CONDS ENDG NR 14Z.

AIRMET MTN OBSCN...NY PA WV MD VA

FROM SYR TO ALB TO 40SE HNK TO HAR TO CSN TO 30N GSO TO HMV TO  
HNN TO AIR TO JHW TO SYR  
MTNS OCNL OBSC CLDS/PCPN/FG/BR. CONDS CONTG BYD 14Z..ENDG 16-18Z  
NY.

....

WAUS1 KBOS 200735

WA1T

BOST WA 200745

AIRMET TANGO UPDT 2 FOR TURB VALID UNTIL 201400

NO SGFNT TURB EXP EXC INVOF CNVTW ACT.

....

WAUS1 KBOS 201335

WA1S

BOSS WA 201345

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 202000

AIRMET IFR...NY PA NJ OH LE WV MD DC DE VA AND CSTL WTRS  
FROM 20NNW BUF TO SYR TO 30WSW JFK TO 180SSE ACK TO 200ESE SIE TO  
150SE SIE TO 20NE ECG TO HMV TO HNN TO CVG TO FWA TO DXO TO 20NNW  
BUF

CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS ENDG 16-18Z NJ ERN PA.  
CONDENDG 20Z REDVLPG 22-00Z AND CONTG THRU 02Z OH WV SWRN VA.  
ELSW...CONDENDG BYD 20Z THRU 20Z.

AIRMET IFR...NH VT

FROM 20E YSC TO 50NNW ENE TO 40WNW CON TO 30WSW MPV TO 20NNE PLB  
TO 20E YSC

OCNL CIG BLW 010/VIS BLW 3SM BR/FG. CONDS ENDG 15-16Z.

AIRMET MTN OBSCN...NY PA WV MD VA  
FROM 50NNE ALB TO ALB TO 40SE HNK TO HAR TO CSN TO 30N GSO TO HMV  
TO HNN TO JHW TO SYR TO 50NNE ALB  
MTNS OCNL OBSC CLDS/PCPN/FG/BR. CONDS ENDG 16-18Z CNTRL/SERN NY.  
ELSW...CONDS CONTG BYD 20Z THRU 02Z.

....  
WAUS1 KBOS 201336

WA1T

BOST WA 201345

AIRMET TANGO UPDT 3 FOR TURB VALID UNTIL 202000

AIRMET TURB...MA NY NJ DE MD VA NC SC AND CSTL WTRS  
FROM ACK TO 180S ACK TO 150SE SIE TO 200ESE ECG TO 140SSE ILM TO  
CHS TO SBY TO HTO TO ACK  
OCNL MOD TURB BTN FL240 AND FL380 DUE TO UPR TROF AND WIND SHEAR  
ASSOC WITH JTST. CONDS CONTG BYD 20Z ENDG 00-02Z.

....  
RMNDR...NO SGFNT TURB EXP OUTSIDE OF CNVTM ACT.

....  
WAUS1 KBOS 201336

WA1Z

BOSZ WA 201345

AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 202000

AIRMET ICE...NY LO PA OH LE  
FROM 60N SYR TO HNK TO JST TO EWC TO CLE TO YYZ TO 60N SYR  
OCNL MOD RIME/MXD ICGICIP BTN FRZLVL AND FL180. FRZLVL 080-110.  
COND DVLPG 15-18Z. CONDS CONTG BYD 20Z THRU 02Z.

....  
RMNDR...NO SGFNT ICE EXP OUTSIDE OF CNVTM ACT.

....  
FRZLVL...14Z...MULT FRZLVL 020-080 N OF 40ESE YQB-HUL LN.  
110-130 S OF DXO-APE-JST-CYN-ACK-40S ENE-50WSW YSJ  
LN. 080-110 RMNDR.

...20Z...MULT FRZLVL 030-080 N OF 40ESE YQB-MLT-50W YSJ  
LN. 110-130 S OF 40N CLE-CLE-AIR-EMI-CYN-80SSE  
HTO-PVD-ENE-80SE BGR LN. 080-110 RMNDR.

....