

WSUS31 KKCI 210855

SIGE

MKCE WST 210855

CONVECTIVE SIGMET 27E

VALID UNTIL 1055Z

SC GA AND FL SC GA CSTL WTRS

FROM 20NNW CHS-150SE CHS-120ENE OMN-60E CRG-30W SAV-20NNW CHS
AREA EMBD TS MOV FROM 15010KT. TOPS TO FL430.

CONVECTIVE SIGMET 28E

VALID UNTIL 1055Z

FL AND CSTL WTRS

FROM 170E OMN-110ENE PBI-MIA-70ESE OMN-170E OMN
AREA TS MOV FROM 11015KT. TOPS TO FL370.

CONVECTIVE SIGMET 29E

VALID UNTIL 1055Z

MI LM

FROM 50NE TVC-MKG-50ESE GRB-50WNW TVC-50NE TVC
AREA TS MOV FROM 21040KT. TOPS TO FL390.

OUTLOOK VALID 211055-211455

AREA 1...FROM HNV-RDU-140ESE ILM-140SSE ILM-190E PBI-70ENE
PBI-130SE MIA-70WSW EYW-50WSW SRQ-60SSW TLH-HMV
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SSM-60WNW YVV-ECK-40SE PXV-50ESE GRB-60NW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 210955

SIGE

MKCE WST 210955

CONVECTIVE SIGMET 30E

VALID UNTIL 1155Z

SC GA AND FL SC GA CSTL WTRS

FROM 30N CHS-150SSE CHS-50E OMN-20W SAV-30N CHS
AREA EMBD TS MOV FROM 15010KT. TOPS TO FL430.

CONVECTIVE SIGMET 31E

VALID UNTIL 1155Z

FL AND CSTL WTRS

FROM 150NE TRV-100ENE PBI-20NNE MIA-120E OMN-150NE TRV
AREA TS MOV FROM 11015KT. TOPS TO FL430.

OUTLOOK VALID 211155-211555

AREA 1...FROM HNV-RDU-140ESE ILM-140SSE ILM-190E PBI-70ENE
PBI-130SE MIA-70WSW EYW-50WSW SRQ-60SSW TLH-HMV
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SSM-60WNW YVV-ECK-40SE PXV-50ESE GRB-60NW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 211055

SIGE

MKCE WST 211055

CONVECTIVE SIGMET 32E

VALID UNTIL 1255Z

SC GA AND FL SC GA CSTL WTRS

FROM 30N CHS-150SSE CHS-50E OMN-20W SAV-30N CHS

AREA EMBD TS MOV FROM 15010KT. TOPS TO FL410.

CONVECTIVE SIGMET 33E

VALID UNTIL 1255Z

FL CSTL WTRS

30ESE TRV

ISOL TS D20 MOV FROM 18005KT. TOPS ABV FL450.

OUTLOOK VALID 211255-211655

AREA 1...FROM HMV-RDU-140ESE ILM-140SSE ILM-190E PBI-70ENE

PBI-130SE MIA-70WSW EYW-50WSW SRQ-60SSW TLH-HMV

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SSM-60WNW YVV-ECK-40SE PXV-50ESE GRB-60NW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211155

SIGE

MKCE WST 211155

CONVECTIVE SIGMET 34E

VALID UNTIL 1355Z

NC SC GA AND NC FL SC GA CSTL WTRS

FROM 40W ILM-60S ILM-60ESE OMN-SAV-40W ILM

AREA EMBD TS MOV FROM 15010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 35E

VALID UNTIL 1355Z

FL CSTL WTRS

30ESE TRV

DMSHG ISOL TS D20 MOV LTL. TOPS TO FL450.

OUTLOOK VALID 211355-211755

AREA 1...FROM HMV-RDU-140ESE ILM-140SSE ILM-190E PBI-70ENE

PBI-130SE MIA-70WSW EYW-50WSW SRQ-60SSW TLH-HMV

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SSM-60WNW YVV-ECK-40SE PXV-50ESE GRB-60NW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211255

SIGE

MKCE WST 211255

CONVECTIVE SIGMET 36E

VALID UNTIL 1455Z

SC GA AND FL SC GA CSTL WTRS

FROM 50ENE CHS-130SE CHS-40NNE TRV-SAV-50ENE CHS

AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 37E
VALID UNTIL 1455Z
FL AND CSTL WTRS
FROM 30NE TRV-100NE PBI-70ESE MIA-20NW MIA-30NE TRV
AREA TS MOV LTL. TOPS TO FL430.

CONVECTIVE SIGMET 38E
VALID UNTIL 1455Z
FL AND CSTL WTRS
FROM 50SW RSW-60SSW MIA-60ESE EYW-80WSW EYW-80WNW EYW-50SW RSW
DVLPG AREA TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 39E
VALID UNTIL 1455Z
NC SC AND NC CSTL WTRS
FROM 20NW GSO-70ESE ILM-70SSE ILM-20SE CLT-20NW GSO
AREA EMBD TS MOV FROM 16015KT. TOPS ABV FL450.

OUTLOOK VALID 211455-211855
AREA 1...FROM HNV-RDU-140ESE ILM-140SSE ILM-190E PBI-70ENE
PBI-130SE MIA-70WSW EYW-50WSW SRQ-60SSW TLH-HMV
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SSM-60WNW YVV-ECK-40SE PXV-50ESE GRB-60NW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211355
SIGE
MKCE WST 211355
CONVECTIVE SIGMET 40E
VALID UNTIL 1555Z
SC GA AND FL SC GA CSTL WTRS
FROM 50ENE CHS-100SE CHS-30NNE TRV-SAV-50ENE CHS
AREA EMBD TS MOV FROM 18010KT. TOPS ATO FL450.

CONVECTIVE SIGMET 41E
VALID UNTIL 1555Z
FL AND CSTL WTRS
FROM 150NE TRV-70ESE MIA-20NW MIA-20ESE TRV-150NE TRV
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 42E
VALID UNTIL 1555Z
FL AND CSTL WTRS
FROM 50SW RSW-60SSW MIA-60ESE EYW-80WSW EYW-80WNW EYW-50SW RSW
DVLPG AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 43E
VALID UNTIL 1555Z
NC SC AND CSTL WTRS
FROM 40SSW PSK-70ESE ILM-120SSE ILM-20NNE CLT-40SSW PSK
AREA EMBD TS MOV FROM 16015KT. TOPS TO FL400.

CONVECTIVE SIGMET 44E

VALID UNTIL 1555Z
FL AL CSTL WTRS
FROM 70SSE CEW-80SW TLH-190SE LEV-160SE LEV-70SSE CEW
DVLPG AREA TS MOV FROM 29010KT. TOPS TO FL390.

OUTLOOK VALID 211555-211955
AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211455
SIGE
MKCE WST 211455
CONVECTIVE SIGMET 45E
VALID UNTIL 1655Z
SC FL GA AND CSTL WTRS
FROM 50ENE CHS-110ENE PBI-30SSE TRV-SAV-50ENE CHS
AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 46E
VALID UNTIL 1655Z
FL AND CSTL WTRS
FROM 20SSE TRV-70ENE PBI-70ESE MIA-10NNW MIA-20SSE TRV
AREA TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 47E
VALID UNTIL 1655Z
FL AND CSTL WTRS
FROM 50SW RSW-60ESE EYW-80WSW EYW-80WNW EYW-50SW RSW
DVLPG AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 48E
VALID UNTIL 1655Z
NC AND NC SC CSTL WTRS
FROM 10SSE RDU-70ESE ILM-120SSE ILM-50SSE GSO-10SSE RDU
AREA EMBD TS MOV FROM 16015KT. TOPS ABV FL450.

CONVECTIVE SIGMET 49E
VALID UNTIL 1655Z
FL AND FL AL CSTL WTRS
FROM 70WSW TLH-60SSW TLH-190SE LEV-160SE LEV-70WSW TLH
AREA TS MOV FROM 29010KT. TOPS TO FL390.

CONVECTIVE SIGMET 50E
VALID UNTIL 1655Z
FL AND CSTL WTRS
FROM 40N CTY-10N PIE-30WNW PIE-40SSE TLH-40N CTY
DVLPG AREA TS MOV LTL. TOPS TO FL410.

CONVECTIVE SIGMET 51E
VALID UNTIL 1655Z
AL

FROM 50W GQO-30E VUZ-10NW VUZ-10NNW MSL-50W GQO
AREA EMBD TS MOV LTL. TOPS TO FL420.

OUTLOOK VALID 211655-212055
AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211555
SIGE
MKCE WST 211555
CONVECTIVE SIGMET 52E
VALID UNTIL 1755Z
SC FL AND FL SC GA CSTL WTRS
FROM 50SSE FLO-120ENE PBI-20SSE TRV-20E SAV-50SSE FLO
AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 53E
VALID UNTIL 1755Z
FL AND CSTL WTRS
FROM 100ENE PBI-70ESE PBI-10NNW MIA-20SSE TRV-100ENE PBI
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 54E
VALID UNTIL 1755Z
FL AND CSTL WTRS
FROM 50SSW RSW-60ESE EYW-80WSW EYW-80WNW EYW-50SSW RSW
DVLPG AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 55E
VALID UNTIL 1755Z
NC SC AND CSTL WTRS
FROM 10WSW RDU-130SE ILM-140SSE ILM-30E FLO-10WSW RDU
AREA EMBD TS MOV FROM 16015KT. TOPS TO FL420.

CONVECTIVE SIGMET 56E
VALID UNTIL 1755Z
FL AND CSTL WTRS
FROM 50N CTY-40SSE CTY-40SSW CTY-40NW CTY-50N CTY
DVLPG AREA TS MOV LTL. TOPS TO FL380.

CONVECTIVE SIGMET 57E
VALID UNTIL 1755Z
AL MS
FROM 50E MSL-30ESE VUZ-10SSE IGB-MSL-50E MSL
AREA EMBD TS MOV LTL. TOPS TO FL400.

OUTLOOK VALID 211755-212155
AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 211655
SIGE
MKCE WST 211655
CONVECTIVE SIGMET 58E
VALID UNTIL 1855Z
SC FL AND FL SC GA CSTL WTRS
FROM 50SSE FLO-90ENE PBI-20SSE TRV-30E SAV-50SSE FLO
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 59E
VALID UNTIL 1855Z
FL AND CSTL WTRS
FROM 90ENE PBI-70ESE PBI-10NNW MIA-20SSE TRV-90ENE PBI
AREA TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 60E
VALID UNTIL 1855Z
FL AND CSTL WTRS
FROM 50SSW RSW-30SSE EYW-80WSW EYW-100WNW EYW-50SSW RSW
DVLPG AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 61E
VALID UNTIL 1855Z
NC SC AND NC SC GA CSTL WTRS
FROM RDU-140SSE ILM-140ESE CHS-40NE FLO-RDU
AREA EMBD TS MOV FROM 16015KT. TOPS TO FL390.

OUTLOOK VALID 211855-212255
AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 211755
SIGE
MKCE WST 211755
CONVECTIVE SIGMET 62E
VALID UNTIL 1955Z
FL AND FL GA CSTL WTRS
FROM 50S CHS-170ENE OMN-70ESE PBI-20N MIA-50S CHS
AREA EMBD TS MOV LTL. TOPS ABV FL450.
REF INTL SIGMET HOTEL SERIES.

CONVECTIVE SIGMET 63E
VALID UNTIL 1955Z
FL GA AND FL CSTL WTRS
FROM 10W AMG-30SW CRG-20SSW CTY-30SE TLH-10W AMG
AREA TS MOV LTL. TOPS TO FL330.

CONVECTIVE SIGMET 64E
VALID UNTIL 1955Z
FL AND CSTL WTRS
FROM 40ENE ORL-40SW MIA-40NW EYW-20SW ORL-40ENE ORL
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 65E
VALID UNTIL 1955Z
NC AND NC SC GA CSTL WTRS
FROM RDU-140SSE ILM-140ESE CHS-40WSW RDU-RDU
AREA EMBD TS MOV FROM 16015KT. TOPS ABV FL450.

CONVECTIVE SIGMET 66E
VALID UNTIL 1955Z
TN
FROM 10N BNA-60W VXV-50W GQO-30NNE MSL-10N BNA
DVLPG AREA TS MOV FROM 26015KT. TOPS TO FL350.

OUTLOOK VALID 211955-212355
AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211755
SIGE
MKCE WST 211755
CONVECTIVE SIGMET 62E
VALID UNTIL 1955Z
FL AND FL GA CSTL WTRS
FROM 50S CHS-170ENE OMN-70ESE PBI-20N MIA-50S CHS
AREA EMBD TS MOV LTL. TOPS ABV FL450.
REF INTL SIGMET HOTEL SERIES.

CONVECTIVE SIGMET 63E
VALID UNTIL 1955Z
FL GA AND FL CSTL WTRS
FROM 10W AMG-30SW CRG-20SSW CTY-30SE TLH-10W AMG
AREA TS MOV LTL. TOPS TO FL330.

CONVECTIVE SIGMET 64E
VALID UNTIL 1955Z
FL AND CSTL WTRS
FROM 40ENE ORL-40SW MIA-40NW EYW-20SW ORL-40ENE ORL
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 65E
VALID UNTIL 1955Z
NC AND NC SC GA CSTL WTRS
FROM RDU-140SSE ILM-140ESE CHS-40WSW RDU-RDU
AREA EMBD TS MOV FROM 16015KT. TOPS ABV FL450.

CONVECTIVE SIGMET 66E

VALID UNTIL 1955Z

TN

FROM 10N BNA-60W VXV-50W GQO-30NNE MSL-10N BNA
DVLPG AREA TS MOV FROM 26015KT. TOPS TO FL350.

OUTLOOK VALID 211955-212355

AREA 1...FROM SBY-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-SPA-SBY
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ASP-ECK-SPA-BWG-BVT-ASP

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211855

SIGE

MKCE WST 211855

CONVECTIVE SIGMET 67E

VALID UNTIL 2055Z

FL AND FL GA CSTL WTRS

FROM 100SE SAV-170ENE OMN-120ENE PBI-MIA-100SE SAV
AREA EMBD TS MOV LTL. TOPS TO FL410.

REF INTL SIGMET HOTEL SERIES.

CONVECTIVE SIGMET 68E

VALID UNTIL 2055Z

FL GA

FROM 10NE AMG-10W CRG-30ESE CTY-40ESE TLH-10NE AMG
AREA TS MOV LTL. TOPS TO FL420.

CONVECTIVE SIGMET 69E

VALID UNTIL 2055Z

FL AND CSTL WTRS

FROM 40SE OMN-40ENE EYW-50SSW RSW-20SW ORL-40SE OMN
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 70E

VALID UNTIL 2055Z

NC SC AND CSTL WTRS

FROM RDU-140SSE ILM-150S ILM-20NW FLO-RDU
AREA EMBD TS MOV FROM 16015KT. TOPS ABV FL450.

CONVECTIVE SIGMET 71E

VALID UNTIL 2055Z

TN

FROM 20ENE BNA-60W VXV-50W GQO-50NE MSL-20ENE BNA
DVLPG AREA TS MOV FROM 26015KT. TOPS TO FL350.

CONVECTIVE SIGMET 72E

VALID UNTIL 2055Z

FL AND CSTL WTRS

FROM 50E CEW-20SE TLH-50SSW TLH-60SE CEW-50E CEW
DVLPG AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 212055-220055

AREA 1...FROM LYH-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-ODF-LYH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ECK-ODF-BWG-TTH-ECK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 211955
SIGE
MKCE WST 211955
CONVECTIVE SIGMET 73E
VALID UNTIL 2155Z
FL SC GA CSTL WTRS
FROM 70SE CHS-170ENE OMN-160E PBI-20ENE PBI-70SE CHS
AREA EMBD TS MOV LTL. TOPS TO FL420.
REF INTL SIGMET HOTEL SERIES.

CONVECTIVE SIGMET 74E
VALID UNTIL 2155Z
FL GA AND FL CSTL WTRS
FROM 30NE AMG-10E CRG-50SSE CTY-50N CTY-30NE AMG
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 75E
VALID UNTIL 2155Z
FL AND CSTL WTRS
FROM 10W OMN-20NE MIA-30ENE EYW-50SSW SRQ-10W OMN
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 76E
VALID UNTIL 2155Z
NC SC AND NC SC GA CSTL WTRS
FROM 40NNW ILM-140SSE ILM-160SSE ILM-50ESE CLT-40NNW ILM
AREA EMBD TS MOV FROM 16015KT. TOPS TO FL420.

CONVECTIVE SIGMET 77E
VALID UNTIL 2155Z
FL AND CSTL WTRS
FROM 60W TLH-40ESE TLH-50SSW TLH-70SE CEW-60W TLH
DMSHG AREA TS MOV LTL. TOPS TO FL350.

CONVECTIVE SIGMET 78E
VALID UNTIL 2155Z
FL CSTL WTRS
90WNNW EYW
ISOL TS D20 MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 212155-220155
AREA 1...FROM LYH-140ESE ILM-140SSE ILM-190E PBI-70ENE PBI-130SE
MIA-70WSW EYW-CEW-BWG-ODF-LYH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ECK-ODF-BWG-TTH-ECK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 212055

SIGE

MKCE WST 212055

CONVECTIVE SIGMET 79E

VALID UNTIL 2255Z

GA TN KY AL

FROM 50ESE BWG-30SSW LOZ-30WSW GQO-20E MSL-50ESE BWG

AREA TS MOV FROM 24015KT. TOPS TO FL380.

CONVECTIVE SIGMET 80E

VALID UNTIL 2255Z

VA NC

FROM 10E LYH-60SSW RIC-20ESE RDU-40NE GSO-10E LYH

AREA EMBD TS MOV FROM 16020KT. TOPS TO FL320.

CONVECTIVE SIGMET 81E

VALID UNTIL 2255Z

GA

FROM ATL-50E ATL-10SSE MCN-40NNW PZD-ATL

AREA TS MOV FROM 25010KT. TOPS TO FL450.

CONVECTIVE SIGMET 82E

VALID UNTIL 2255Z

NC SC

FROM 10SE GSO-50SSW RDU-30ESE FLO-10SE CAE-10SE GSO

AREA EMBD TS MOV FROM 17020KT. TOPS TO FL360.

CONVECTIVE SIGMET 83E

VALID UNTIL 2255Z

NC SC AND NC SC GA CSTL WTRS

FROM 60N ILM-140SE ILM-200SE CHS-70E CHS-50NW ILM-60N ILM

AREA EMBD TS MOV FROM 14025KT. TOPS TO FL440.

CONVECTIVE SIGMET 84E

VALID UNTIL 2255Z

FL GA AND FL CSTL WTRS

FROM 40SE MCN-30SSW AMG-30NW CTY-40SSW TLH-40WSW PZD-40SE MCN

DVLPG AREA TS MOV FROM 26015KT. TOPS TO FL440.

CONVECTIVE SIGMET 85E

VALID UNTIL 2255Z

FL GA AND FL CSTL WTRS

FROM 40ENE AMG-30ESE ORL-20NNE PIE-10E CTY-40SSW AMG-40ENE AMG

AREA TS MOV FROM 29010KT. TOPS TO FL450.

CONVECTIVE SIGMET 86E

VALID UNTIL 2255Z

FL AND CSTL WTRS

FROM 30ESE ORL-10E MIA-30E EYW-60NNW EYW-20NE PIE-30ESE ORL

AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 87E

VALID UNTIL 2255Z

FL CSTL WTRS

FROM 190ENE OMN-150E PBI-30E PBI-110E CRG-190ENE OMN

AREA EMBD TS MOV FROM 16010KT. TOPS TO FL420.
REF INTL SIGMET HOTEL SERIES.

OUTLOOK VALID 212255-220255

AREA 1...FROM 50NNW LYH-140ESE ILM-140SSE ILM-190E PBI-70ENE
PBI-130SE MIA-70WSW EYW-CEW-BWG-HMV-50NNW LYH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM ECK-DXO-ERI-HMV-BWG-BVT-ECK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.