

WSUS31 KPCI 230655

SIGE

MKCE WST 230655

CONVECTIVE SIGMET 1E

VALID UNTIL 0855Z

OH MI IN LE

FROM 50SW FNT-50SSE DXO-30SE ROD-50E IND-30ESE FWA-50SW FNT

AREA TS MOV FROM 25030KT. TOPS TO FL380.

CONVECTIVE SIGMET 2E

VALID UNTIL 0855Z

MI LM

FROM TVC-40WNW MBS-10WSW GRR-30W PMM-50SE GRB-TVC

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL350.

OUTLOOK VALID 230855-231255

FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE

ERI-AIR-CVG-50SW PXV-30SSE SAW

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 230755

SIGE

MKCE WST 230755

CONVECTIVE SIGMET 3E

VALID UNTIL 0955Z

OH

FROM 60NNE ROD-50WSW CLE-40SW APE-40SSW ROD-60NNE ROD

AREA TS MOV FROM 25030KT. TOPS TO FL380.

CONVECTIVE SIGMET 4E

VALID UNTIL 0955Z

MI LM

FROM 30ESE TVC-40E GRR-10WNW PMM-40SSW TVC-30ESE TVC

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL350.

OUTLOOK VALID 230955-231355

FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE

ERI-AIR-CVG-50SW PXV-30SSE SAW

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 230855

SIGE

MKCE WST 230855

CONVECTIVE SIGMET 5E

VALID UNTIL 1055Z

MI LH

FROM 50WSW ASP-20NE FNT-10SW GRR-30NE MKG-50WSW ASP

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

OUTLOOK VALID 231055-231455

FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE

ERI-AIR-CVG-50SW PXV-30SSE SAW

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 230955

SIGE

MKCE WST 230955

CONVECTIVE SIGMET 6E
VALID UNTIL 1155Z
MI LH
FROM ASP-20NW ECK-20SSW MBS-40NNW MBS-ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

CONVECTIVE SIGMET 7E
VALID UNTIL 1155Z
MI
FROM 20E FNT-DXO-50WSW DXO-20WSW FNT-20E FNT
AREA TS MOV FROM 23045KT. TOPS TO FL410.

OUTLOOK VALID 231155-231555
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE
ERI-AIR-CVG-50SW PXV-30SSE SAW
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 230955

SIGE
MKCE WST 230955
CONVECTIVE SIGMET 6E
VALID UNTIL 1155Z
MI LH
FROM ASP-20NW ECK-20SSW MBS-40NNW MBS-ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

CONVECTIVE SIGMET 7E
VALID UNTIL 1155Z
MI
FROM 20E FNT-DXO-50WSW DXO-20WSW FNT-20E FNT
AREA TS MOV FROM 23045KT. TOPS TO FL410.

OUTLOOK VALID 231155-231555
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE
ERI-AIR-CVG-50SW PXV-30SSE SAW
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 231055

SIGE
MKCE WST 231055
CONVECTIVE SIGMET 8E
VALID UNTIL 1255Z
OH MI LE LH
FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655
FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE
BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 231055

SIGE
MKCE WST 231055
CONVECTIVE SIGMET 8E
VALID UNTIL 1255Z
OH MI LE LH

FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE
BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 231055

SIGE

MKCE WST 231055

CONVECTIVE SIGMET 8E

VALID UNTIL 1255Z

OH MI LE LH

FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE
BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 231155

SIGE

MKCE WST 231155

CONVECTIVE SIGMET 9E

VALID UNTIL 1355Z

MI LH

FROM 40ENE ASP-20E ECK-30ENE DXO-20SW ASP-40ENE ASP
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL400.

CONVECTIVE SIGMET 10E

VALID UNTIL 1355Z

OH LE

FROM 20SE DXO-40WNW CLE-30ENE APE-10WNW APE-40N ROD-20SE DXO
AREA TS MOV FROM 25035KT. TOPS TO FL380.

OUTLOOK VALID 231355-231755

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE
BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.
WSUS31 KPCI 231255

SIGE

MKCE WST 231255

CONVECTIVE SIGMET 11E

VALID UNTIL 1455Z

MI LH

FROM 40ENE ASP-30ENE ECK
LINE EMBD TS 25 NM WIDE MOV FROM 23035KT. TOPS TO FL350.

CONVECTIVE SIGMET 12E

VALID UNTIL 1455Z

OH LE

FROM 30NNW CLE-50WSW CLE
LINE SEV TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL420.
HAIL TO 1 IN...WIND GUSTS TO 50KT POSS.

OUTLOOK VALID 231455-231855
FROM 70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE BUF-40WSW
JST-40ENE PXV-30N FWA-70SE SSM
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231355
SIGE
MKCE WST 231355
CONVECTIVE SIGMET 13E
VALID UNTIL 1555Z
MI LH
FROM 40ESE ASP-20E ECK
LINE EMBD TS 25 NM WIDE MOV FROM 23035KT. TOPS TO FL320.

CONVECTIVE SIGMET 14E
VALID UNTIL 1555Z
PA OH LE
FROM ERI-10W CLE
LINE TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL400.

OUTLOOK VALID 231555-231955
FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231455
SIGE
MKCE WST 231455
CONVECTIVE SIGMET 15E
VALID UNTIL 1655Z
PA OH LE
FROM 10SSE ERI-40SE CLE
LINE TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL380.

OUTLOOK VALID 231655-232055
FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231555
SIGE
MKCE WST 231555
CONVECTIVE SIGMET 16E
VALID UNTIL 1755Z
NY PA OH LE
FROM 20N ERI-20SSW JHW-10SSE EWC-40SSE CLE-20N ERI
AREA TS MOV FROM 27035KT. TOPS TO FL370.

OUTLOOK VALID 231755-232155
FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231655
SIGE

MKCE WST 231655
CONVECTIVE SIGMET 17E
VALID UNTIL 1855Z
NY PA
FROM 20W JHW-20ESE JHW-30ESE EWC-10SSW EWC-20W JHW
AREA TS MOV FROM 27035KT. TOPS TO FL390.

OUTLOOK VALID 231855-232255
FROM SYR-ETX-LOZ-BWG-ROD-30NNW CLE-BUF-SYR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231755
SIGE
MKCE WST 231755
CONVECTIVE SIGMET 18E
VALID UNTIL 1955Z
NY PA LE
FROM 20SE BUF-10NNW JST-20SE EWC-30NW JHW-20SE BUF
AREA TS MOV FROM 27035KT. TOPS TO FL380.

OUTLOOK VALID 231955-232355
FROM SYR-ETX-LOZ-BWG-ROD-30NNW CLE-BUF-SYR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.