

WSUS31 KPCI 230555  
SIGE  
MKCE WST 230555  
CONVECTIVE SIGMET...NONE

OUTLOOK VALID 230755-231155  
TS ARE NOT EXPD TO REQUIRE WST ISSUANCES.

WSUS31 KPCI 230655  
SIGE  
MKCE WST 230655  
CONVECTIVE SIGMET 1E  
VALID UNTIL 0855Z  
OH MI IN LE  
FROM 50SW FNT-50SSE DXO-30SE ROD-50E IND-30ESE FWA-50SW FNT  
AREA TS MOV FROM 25030KT. TOPS TO FL380.

CONVECTIVE SIGMET 2E  
VALID UNTIL 0855Z  
MI LM  
FROM TVC-40WNW MBS-10WSW GRR-30W PMM-50SE GRB-TVC  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL350.

OUTLOOK VALID 230855-231255  
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE  
ERI-AIR-CVG-50SW PXV-30SSE SAW  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 230755

SIGE  
MKCE WST 230755  
CONVECTIVE SIGMET 3E  
VALID UNTIL 0955Z

OH  
FROM 60NNE ROD-50WSW CLE-40SW APE-40SSW ROD-60NNE ROD  
AREA TS MOV FROM 25030KT. TOPS TO FL380.

CONVECTIVE SIGMET 4E  
VALID UNTIL 0955Z  
MI LM  
FROM 30ESE TVC-40E GRR-10WNW PMM-40SSW TVC-30ESE TVC  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL350.

OUTLOOK VALID 230955-231355  
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE  
ERI-AIR-CVG-50SW PXV-30SSE SAW  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 230855

SIGE  
MKCE WST 230855  
CONVECTIVE SIGMET 5E  
VALID UNTIL 1055Z

MI LH  
FROM 50WSW ASP-20NE FNT-10SW GRR-30NE MKG-50WSW ASP  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

OUTLOOK VALID 231055-231455  
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE  
ERI-AIR-CVG-50SW PXV-30SSE SAW  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.  
WSUS31 KKCI 230955  
SIGE  
MKCE WST 230955  
CONVECTIVE SIGMET 6E  
VALID UNTIL 1155Z  
MI LH  
FROM ASP-20NW ECK-20SSW MBS-40NNW MBS-ASP  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

CONVECTIVE SIGMET 7E  
VALID UNTIL 1155Z  
MI  
FROM 20E FNT-DXO-50WSW DXO-20WSW FNT-20E FNT  
AREA TS MOV FROM 23045KT. TOPS TO FL410.

OUTLOOK VALID 231155-231555  
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE  
ERI-AIR-CVG-50SW PXV-30SSE SAW  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.  
WSUS31 KKCI 230955  
SIGE  
MKCE WST 230955  
CONVECTIVE SIGMET 6E  
VALID UNTIL 1155Z  
MI LH  
FROM ASP-20NW ECK-20SSW MBS-40NNW MBS-ASP  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL370.

CONVECTIVE SIGMET 7E  
VALID UNTIL 1155Z  
MI  
FROM 20E FNT-DXO-50WSW DXO-20WSW FNT-20E FNT  
AREA TS MOV FROM 23045KT. TOPS TO FL410.

OUTLOOK VALID 231155-231555  
FROM 30SSE SAW-70SE SSM-30ENE ECK-DXO-30WNW CLE-50WNW ERI-30NNE  
ERI-AIR-CVG-50SW PXV-30SSE SAW  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.  
WSUS31 KKCI 231055  
SIGE  
MKCE WST 231055  
CONVECTIVE SIGMET 8E  
VALID UNTIL 1255Z  
OH MI LE LH  
FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP  
AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655  
FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE  
BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231055

SIGE

MKCE WST 231055

CONVECTIVE SIGMET 8E

VALID UNTIL 1255Z

OH MI LE LH

FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE

BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231055

SIGE

MKCE WST 231055

CONVECTIVE SIGMET 8E

VALID UNTIL 1255Z

OH MI LE LH

FROM 20NNE ASP-40N ECK-50S DXO-60N ROD-20WSW ASP-20NNE ASP

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL340.

OUTLOOK VALID 231255-231655

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE

BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231155

SIGE

MKCE WST 231155

CONVECTIVE SIGMET 9E

VALID UNTIL 1355Z

MI LH

FROM 40ENE ASP-20E ECK-30ENE DXO-20SW ASP-40ENE ASP

AREA EMBD TS MOV FROM 23035KT. TOPS TO FL400.

CONVECTIVE SIGMET 10E

VALID UNTIL 1355Z

OH LE

FROM 20SE DXO-40WNW CLE-30ENE APE-10WNW APE-40N ROD-20SE DXO

AREA TS MOV FROM 25035KT. TOPS TO FL380.

OUTLOOK VALID 231355-231755

FROM 70SW SSM-70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE

BUF-40WSW JST-40ENE PXV-40NNE FWA-50WNW MKG-70SW SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231255

SIGE

MKCE WST 231255

CONVECTIVE SIGMET 11E

VALID UNTIL 1455Z

MI LH

FROM 40ENE ASP-30ENE ECK

LINE EMBD TS 25 NM WIDE MOV FROM 23035KT. TOPS TO FL350.

CONVECTIVE SIGMET 12E

VALID UNTIL 1455Z

OH LE

FROM 30NNW CLE-50WSW CLE

LINE SEV TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL420.

HAIL TO 1 IN...WIND GUSTS TO 50KT POSS.

OUTLOOK VALID 231455-231855

FROM 70SE SSM-30ENE ECK-DXO-30WNW CLE-BUF-YYZ-50NNE BUF-40WSW

JST-40ENE PXV-30N FWA-70SE SSM

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231355

SIGE

MKCE WST 231355

CONVECTIVE SIGMET 13E

VALID UNTIL 1555Z

MI LH

FROM 40ESE ASP-20E ECK

LINE EMBD TS 25 NM WIDE MOV FROM 23035KT. TOPS TO FL320.

CONVECTIVE SIGMET 14E

VALID UNTIL 1555Z

PA OH LE

FROM ERI-10W CLE

LINE TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL400.

OUTLOOK VALID 231555-231955

FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231455

SIGE

MKCE WST 231455

CONVECTIVE SIGMET 15E

VALID UNTIL 1655Z

PA OH LE

FROM 10SSE ERI-40SE CLE

LINE TS 25 NM WIDE MOV FROM 25035KT. TOPS TO FL380.

OUTLOOK VALID 231655-232055

FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 231555

SIGE

MKCE WST 231555

CONVECTIVE SIGMET 16E

VALID UNTIL 1755Z

NY PA OH LE

FROM 20N ERI-20SSW JHW-10SSE EWC-40SSE CLE-20N ERI

AREA TS MOV FROM 27035KT. TOPS TO FL370.

OUTLOOK VALID 231755-232155  
FROM SYR-PSB-HNN-BWG-PXV-ROD-30WNW CLE-BUF-SYR  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231655  
SIGE  
MKCE WST 231655  
CONVECTIVE SIGMET 17E  
VALID UNTIL 1855Z  
NY PA  
FROM 20W JHW-20ESE JHW-30ESE EWC-10SSW EWC-20W JHW  
AREA TS MOV FROM 27035KT. TOPS TO FL390.

OUTLOOK VALID 231855-232255  
FROM SYR-ETX-LOZ-BWG-ROD-30NNW CLE-BUF-SYR  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 231755  
SIGE  
MKCE WST 231755  
CONVECTIVE SIGMET 18E  
VALID UNTIL 1955Z  
NY PA LE  
FROM 20SE BUF-10NNW JST-20SE EWC-30NW JHW-20SE BUF  
AREA TS MOV FROM 27035KT. TOPS TO FL380.

OUTLOOK VALID 231955-232355  
FROM SYR-ETX-LOZ-BWG-ROD-30NNW CLE-BUF-SYR  
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM  
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.