

WAUS42 KKCI 261241 AAA  
WA2S

MIAS WA 261241 AMD

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 261500

.  
AIRMET IFR...NC SC GA FL ME NH VT MA RI CT NY LO NJ PA OH LE WV  
MD DC DE VA AND CSTL WTRS...UPDT  
FROM 30WSW HUL TO 50ESE BGR TO 40SE ENE TO 120SE ACK TO 140ESE  
SIE TO 40WNW CSN TO 20NW CTY TO 70SSW TLH TO 30W CEW TO 50SW PZD  
TO GQO TO HNV TO HNN TO CVG TO DXO TO 20E YYZ TO 30WSW HUL  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.  
AIRMET MTN OBSCN...NC SC GA ME NH VT MA NY PA WV MD VA  
FROM 70NW PQI TO MLT TO 20SSW CON TO 20ENE HAR TO CLT TO ATL TO  
GQO TO HNV TO HNN TO JHW TO SYR TO MSS TO YSC TO 70NW PQI  
MTNS OBSC BY CLDS/PCPN. CONDS CONTG BYD 15Z THRU 21Z.

.  
OTLK VALID 1500-2100Z  
AREA 1...IFR NC ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE  
VA AND CSTL WTRS...UPDT  
BOUNDED BY 70ENE YQB-60SW YSJ-200SE ACK-180S ACK-60SE CYN-60E  
ORF-20ESE ECG-HMV-HNN-CVG-DXO-50N CLE-30E YYZ-30SE YOW-YSC-70ENE  
YQB  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

.  
AREA 2...MTN OBSCN NC SC GA ME NH VT MA NY PA WV MD VA  
BOUNDED BY 70NW PQI-MLT-20SSW CON-20NE HAR-CLT-50WSW ODF-GQO-HMV-  
HNN-JHW-SYR-MSS-20WNW YSC-70NW PQI  
MTNS OBSC BY CLDS/PCPN. CONDS CONTG THRU 21Z.

WAUS42 KKCI 261445

WA2T

MIAT WA 261445

AIRMET TANGO UPDT 2 FOR TURB AND STG SFC WNDS VALID UNTIL 262100

.  
AIRMET TURB...NC SC GA NY LO PA OH LE WV MD VA AND CSTL WTRS  
FROM 20WNW BUF TO 20NW HAR TO 60SSW RIC TO 40ESE RDU TO 20ESE  
CHS TO 40ENE MCN TO LGC TO GQO TO HNV TO HNN TO CVG TO FWA TO  
DXO TO 20WNW BUF  
MOD TURB BLW 080. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET TURB...NC SC AND CSTL WTRS  
FROM 160SE SIE TO 190ESE ECG TO 140ESE ILM TO 20ESE CHS TO 40ESE  
RDU TO 60SSW RIC TO 20NE ECG TO 160SE SIE  
MOD TURB BLW 100. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET TURB...NC SC ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC  
DE VA AND CSTL WTRS  
FROM 70NW PQI TO 30NNE PQI TO 60SW YSJ TO 200SE ACK TO 160SE SIE  
TO 190ESE ECG TO 150ESE ILM TO 40S FLO TO 20E ILM TO SBY TO  
40SSW HNK TO 60NNW SYR TO MSS TO 20E YSC TO 70NW PQI  
MOD TURB BTN FL260 AND FL400. CONDS CONTG BYD 21Z ENDG 21-00Z.

.  
AIRMET TURB...NC SC GA NY LO PA OH LE WV MD DC DE VA AND CSTL  
WTRS  
FROM 60NNW SYR TO 40SSW HNK TO SBY TO 20E ILM TO 40S FLO TO 20SE

ATL TO 30N LGC TO GQO TO HNV TO HNN TO CVG TO FWA TO DXO TO 50NW  
ERI TO 60NNW SYR  
MOD TURB BTN FL220 AND FL390. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET STG SFC WND...NC SC MA RI NY NJ MD DE VA AND CSTL WTRS  
FROM 70SSW ACK TO 180S ACK TO 150SE SIE TO 190ESE ECG TO 140SSE  
ILM TO 60SE CHS TO 50SE ECG TO 20SE CYN TO 70SSW ACK  
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS DVLPG 15-18Z.  
CONDS CONTG BYD 21Z THRU 03Z.

.  
OTLK VALID 2100-0300Z  
AREA 1...TURB NC SC GA NY LO NJ PA OH LE WV MD DC DE VA AND CSTL  
WTRS  
BOUNDED BY 70SSW YOW-HNK-30S SIE-80SSE ECG-40E ILM-20WSW ILM-  
20ESE CHS-50SW IRQ-30WSW ATL-GQO-HMV-HNN-CVG-FWA-DXO-BUF-70SSW  
YOW  
MOD TURB BLW 080. CONDS CONTG THRU 03Z.

.  
AREA 2...TURB NC SC ME NH VT MA RI CT NY LO NJ PA MD DC DE VA  
AND CSTL WTRS  
BOUNDED BY 70NW PQI-30NNE PQI-60SW YSJ-200SE ACK-150SE SIE-  
190ESE ECG-150ESE ILM-20ESE CHS-20WSW ILM-40E ILM-80SSE ECG-20S  
SIE-HNK-70SSW YOW-30SE YOW-YSC-70NW PQI  
MOD TURB BLW 100. CONDS CONTG THRU 03Z.

.  
AREA 3...TURB NC SC GA NH VT MA RI CT NY LO NJ PA OH LE WV MD DC  
DE VA AND CSTL WTRS  
BOUNDED BY 60WSW YSC-20S CON-190SSE HTO-160SE SIE-190ESE ECG-  
140SE ILM-50SSW ILM-20WNW ATL-GQO-HMV-HNN-CVG-FWA-DXO-20NNW CLE-  
MSS-60WSW YSC  
MOD TURB BTN FL220 AND FL390. CONDS CONTG THRU 03Z.

.  
AREA 4...STG SFC WND...NC SC GA MA RI NY NJ MD DE VA AND CSTL WTRS  
BOUNDED BY 30S ACK-170SSE ACK-160SE SIE-190ESE ECG-140SSE ILM-  
60SSE CHS-60SSW ILM-60SE ECG-30ESE CYN-30S ACK  
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG THRU 03Z.

.....

WAUS42 KKCI 261445  
WA2Z  
MIAZ WA 261445  
AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 262100

.  
AIRMET ICE...NC ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE  
VA AND CSTL WTRS  
FROM 80NW PQI TO 60NE PQI TO 160SE ACK TO 60SSE HTO TO 20ENE SBY  
TO ECG TO 30ESE CLT TO HNV TO 20ENE PSK TO 20NNW YYZ TO YOW TO  
YSC TO 80NW PQI  
MOD ICE BTN FRZLVL AND FL230. FRZLVL 060-110. CONDS CONTG BYD 21Z  
THRU 03Z.

.  
FRZLVL...RANGING FROM 070-155 ACRS AREA  
080 ALG 40SW VXV-30W SPA-20WNW CLT-30NNE GSO  
120 ALG 30SSE LGC-30SSE MCN-100S ILM-140ESE ILM

.....

WAUS42 KKCI 261445

WA2S

MIAS WA 261445

AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 262100

.  
AIRMET IFR...SC GA FL AND CSTL WTRS

FROM CAE TO 30SSE AMG TO 40WNW CTY TO 80SSW TLH TO 20SE CEW TO  
50WSW IRQ TO CAE

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 15-18Z.

.  
AIRMET MTN OBSCN...NC SC GA ME NH VT MA NY PA WV MD VA  
FROM 70NW PQI TO MLT TO CON TO HAR TO LYH TO CLT TO 40SSE ODF TO  
ODF TO 20N ATL TO GQO TO HNV TO HNN TO JHW TO SYR TO MSS TO YSC  
TO 70NW PQI

MTNS OBSC BY CLDS/PCPN. CONDS CONTG BYD 21Z THRU 03Z.

.....