

WAUS45 KKCI 261445

WA5T

SLCT WA 261445

AIRMET TANGO UPDT 2 FOR TURB AND LLWS VALID UNTIL 262100

.  
AIRMET TURB...ID MT WY NV UT CO  
FROM 30WNW GTF TO 20ESE LWT TO 40ENE SHR TO CYS TO TBE TO 50ESE  
DVC TO 20SE HVE TO 50S BOI TO 60NNW DNJ TO 80SE MLP TO 30WNW GTF  
MOD TURB BLW 160. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET TURB...ID MT WA OR  
FROM 50S YXH TO LWT TO 20N DBS TO 20WSW BOI TO OED TO 30ESE BTG  
TO HUH TO 50S YXH  
MOD TURB BTN FL260 AND FL390. CONDS DVLPG 18-21Z. CONDS CONTG  
BYD 21Z THRU 03Z.

.  
LLWS POTENTIAL...ID MT WY UT CO  
BOUNDED BY 60NE JAC-50SW DDY-50ESE DDY-20ENE CYS-30SW LAR-60WSW  
OCS-30E PIH-30NNW JAC-60NE JAC  
LLWS EXP. CONDS CONTG BYD 21Z THRU 03Z.

.  
OTLK VALID 2100-0300Z  
AREA 1...TURB ID MT WY NV UT CO AZ NM  
BOUNDED BY 20NNW HLN-40SE LWT-30NE SHR-70E DDY-20SE CYS-TBE-30SW  
CIM-20S RSK-50SE DTA-70SSW TWF-60S BOI-20SSW DNJ-60NNE BKE-20NNW  
HLN  
MOD TURB BLW 160. CONDS CONTG THRU 03Z.

.  
AREA 2...TURB ID MT WY NV UT WA OR  
BOUNDED BY 50SW YXC-50NNW ISN-70SW RAP-BFF-20NW OCS-70ENE BAM-  
BOI-OED-30ESE BTG-HUH-50SW YXC  
MOD TURB BTN FL260 AND FL390. CONDS CONTG THRU 03Z.

.....

WAUS45 KKCI 261445

WA5T

SLCT WA 261445

AIRMET TANGO UPDT 2 FOR TURB AND LLWS VALID UNTIL 262100

.  
AIRMET TURB...ID MT WY NV UT CO  
FROM 30WNW GTF TO 20ESE LWT TO 40ENE SHR TO CYS TO TBE TO 50ESE  
DVC TO 20SE HVE TO 50S BOI TO 60NNW DNJ TO 80SE MLP TO 30WNW GTF  
MOD TURB BLW 160. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET TURB...ID MT WA OR  
FROM 50S YXH TO LWT TO 20N DBS TO 20WSW BOI TO OED TO 30ESE BTG  
TO HUH TO 50S YXH  
MOD TURB BTN FL260 AND FL390. CONDS DVLPG 18-21Z. CONDS CONTG  
BYD 21Z THRU 03Z.

.  
LLWS POTENTIAL...ID MT WY UT CO  
BOUNDED BY 60NE JAC-50SW DDY-50ESE DDY-20ENE CYS-30SW LAR-60WSW  
OCS-30E PIH-30NNW JAC-60NE JAC  
LLWS EXP. CONDS CONTG BYD 21Z THRU 03Z.

.  
OTLK VALID 2100-0300Z  
AREA 1...TURB ID MT WY NV UT CO AZ NM

BOUNDED BY 20NNW HLN-40SE LWT-30NE SHR-70E DDY-20SE CYS-TBE-30SW  
CIM-20S RSK-50SE DTA-70SSW TWF-60S BOI-20SSW DNJ-60NNE BKE-20NNW  
HLN  
MOD TURB BLW 160. CONDS CONTG THRU 03Z.

.  
AREA 2...TURB ID MT WY NV UT WA OR  
BOUNDED BY 50SW YXC-50NNW ISN-70SW RAP-BFF-20NW OCS-70ENE BAM-  
BOI-OED-30ESE BTG-HUH-50SW YXC  
MOD TURB BTN FL260 AND FL390. CONDS CONTG THRU 03Z.

.....  
WAUS45 KPCI 261445  
WA5Z  
SLCZ WA 261445  
AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 262100

.  
AIRMET ICE...ID MT WY WA OR  
FROM 50SE YQL TO 70NW RAP TO 70SW RAP TO 40WSW CZI TO 40ESE JAC  
TO 20SE LKT TO 20NW BOI TO 40WSW PDT TO 70ESE YDC TO 50SE YQL  
MOD ICE BTN FRZLVL AND FL210. FRZLVL 060-100. CONDS CONTG BYD 21Z  
THRU 03Z.

.  
AIRMET ICE...MT WY  
FROM 50SE YQL TO 50NNW ISN TO 70NW RAP TO 50SE YQL  
MOD ICE BTN FRZLVL AND FL190. FRZLVL 060-100. CONDS CONTG BYD 21Z  
THRU 03Z.

.  
FRZLVL...RANGING FROM 045-140 ACRS AREA  
080 ALG 30W DNJ-50NNE LKT-40SSE LWT-60W MLS-30SSE MLS-80NW RAP  
120 ALG 30NNW FMG-40SSW BPI-40WSW LAR-30SSW SNY-40S GLD

.....  
WAUS45 KPCI 261445  
WA5S  
SLCS WA 261445  
AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 262100

.  
NO SGFNT IFR EXP OUTSIDE OF CNVTV ACT.

.  
AIRMET MTN OBSCN...ID MT WY WA OR  
FROM 30SSW YQL TO 20NW GTF TO 50SSE HVR TO SHR TO DBS TO 70SSW  
LKT TO 40SE PDT TO 40NE EPH TO 40SW YXC TO 30SSW YQL  
MTNS OBSC BY CLDS/PCPN. CONDS CONTG BYD 21Z THRU 03Z.

.  
OTLK VALID 2100-0300Z...MTN OBSCN CO  
BOUNDED BY 40SW LAR-50SE DBL-30ENE DVC-50WSW CHE-40SW LAR  
MTNS OBSC BY CLDS/PCPN. CONDS DVLPG 21-00Z. CONDS CONTG THRU 03Z.

.....